Honeywell

3 Inch Dome Camera HD3VC4SHR/HD3VC4SA/HD3VC4SHRX/HD3VC4SAX

Quick Install Guide

Honeywell ₀∰us (€ F©

Document 900.0824 - 09/06 - Rev 1.01

Warnings, Operating Notes

Installation and servicing should be performed only by qualified and experienced technicians to conform to all local codes and to maintain your warrantv.

WARNING! The use of CSA Certified/UL Listed Class 2 power adapters is required to ensure compliance with electrical safety standards.

WARNING! To reduce the risk of fire or electric shock, do not expose this product to rain or moisture.

WEEE (Waste Electrical and Electronic Equipment). Correct disposal of this product (applicable in the European Union and other European countries with separate collection systems). This product should be disposed of, at the end of its useful life, as per applicable local laws, regulations, and procedures.



FCC Compliance Statement

Information to the User: This equipment has been tested and found to comply with the limits for a Class A digital device. Pursuant to Part 15 of the FCC Rules, these limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

Caution Changes or modifications not

Operating Conditions

- Avoid viewing very bright objects (example, light fixtures) for extended periods. Avoid operating or storing the unit in the
- following locations: Extremely humid, dusty, hot/cold environments (where the operating temperature is outside the recommended range of 14°F to 122°F [-10°C to +50°C])
- Close to sources of powerful electromagnetic radiation, such as radio or TV transmitters
- Close to fluorescent lamps or objects reflecting light
- Under unstable light sources (may cause flickering)

Introduction

The unobtrusive, compact design of the HD3VC4S Series 3 Inch Dome Camera is ideal for indoor installations in commercial and residential environments.

Before You Begin

Please read this guide carefully before you install the HD3VC4S Series 3 Inch Dome Camera. Keep this guide for future reference.

Unpack Everything

Check that the items received match those listed on the order form and packing slip. The HD3VC4S Series Camera packing box should

include, in addition to this Install Guide: One fully assembled camera


- One hardware kit
- One 2nd video monitor output cable One mounting template

If any parts are missing or damaged, contact the dealer you purchased the camera from or call Honeywell Customer Service.

Installation

The HD3VC4S Series is a fully-integrated enclosure with camera and lens.

Camera Parts Figure 1




1 — Legend

Removing the Dome Cover

- Gently turn the dome cover (#5 on 1. Figure 2) counter-clockwise to unlock and pull free of the housing.
- Remove the inner liner (#4) by gently 2. pulling it free of the two notches (#2) in the housing (#1).
- Set the dome (and liner) aside. З.


Figure 2 **Dome Cover Removal**




Connecting the Wiring

Follow Figure 1 to connect the video output connector (a) and 24 VAC/12 VDC power connector (b).

- the polarity is correct to avoid malfunction and/or camera damage.
- Place the mounting template (supplied) on the mounting surface and mark the holes (see Figure 3)
- 2. anchors into the holes.
- Depending on the material of your mounting surface, you may require different screws and anchors than those supplied.



Camera Adjustment Figure 4



4 Legend

- Tilt adjustment bracket and thumbnuts (x2) for vertical adjustment 1
- Axis ring for horizontal rotation for wall 2
- mount and tilted ceilings
- 3 Zoom lever
- Focus lever 4
- Rotate 3D assembly in base for horizontal 5


Adjusting the Lens

- Loosen the Zoom lever (#3) counter-1. clockwise a little, then rotate the Zoom lever and determine the image view.
- Loosen the Focus lever (#4) counterclockwise a little, then adjust the focus for optimum picture sharpness.
- Re-tighten the Zoom lever and Focus lever 3. after adjustment.
- It is important that you lock the zoom Note and focus levers after making adjustments. This will avoid the positions moving (for example, from temperature changes or vibrations).

Optional Camera Settings

See Figure 5 for location on the camera board of the camera adjustment functions described below.

Camera Adjustment Functions Figure 5



5 — Legend

- 1 LEVEL adjustment pot (Iris level)
- 2 V Phase adjustment pot (24 VAC only)
- Mode setting DIP switches 3
- Monitor out 4
- Camera mounting holes 5
- Please use the supplied DC Iris and Note Line lock adjustment tool to adjust picture brightness and phase adjustment.

Picture Brightness Use the LEVEL screw (#1) to compensate for the iris level. L (low) makes the picture darker. \mathbf{H} (high) makes the picture brighter.

Caution For DC power supply use, make sure


- Mounting the Camera


1.

- - Drill two holes, then insert the screw
 - Secure the camera housing to the wall/ З. ceiling with the TP4 x 15 mm tapping screws supplied.

Camera Installation Figure 3

Note





Screw anchors (x2), supplied

TP4 x 15 mm tapping screws (x2) supplied

Adjusting the Camera Position

The HD3VC4S Series camera has three axes for

assembly in the base. Do not turn the assembly

more than 360° as this may cause the internal

positioning the camera. While monitoring the

picture on the monitor, adjust the camera

Horizontal Adjustment Rotate the 3D

cables to twist and disconnect or break.

Mounting template

position as follows:

1

2

3

expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This Class A digital apparatus complies with Canadian ICES-003.

Manufacturer's Declaration of Conformance

The manufacturer declares that the equipment supplied with this guide is compliant with the essential protection requirements of the EMC directive 89/336/EEC and the Low Voltage Directive LVD 73/23 EEC, conforming to the requirements of standards EN 55022 for emissions.

Operating Notes

Power Supply

This dome camera can operate on 24 VAC or 12 VDC.

- Conduit hole used for surface run power/video 1 connector
- 2 Camera housing
 - Dome cover

3

4

5

- Zoom lever
- Focus lever
- а Video output connector
- 24 VAC/12 VDC power input connector b (red +, black -)

Note See Figure 5 for an explanation of the camera board settings.

> Vertical Adjustment After loosening the thumbnuts, position the camera as desired, then finger-tighten the thumbnuts to set the position.

Horizontal Rotation For Wall Mount and Tilted Ceilings Rotate the lens base (maximum 360°) until you are satisfied with the field of view.

Phase Adjustment Use the V Phase Adjustment Pot (#2) to adjust the phase difference between cameras. Make sure Switch 4 is ON to activate the Line lock function (AC operation only).


DIP Switches Set the DIP switches (#3) to activate or deactivate the following functions:

Switch Description


BLC (Backlight Compensation) Set to ON to have the camera adjust the exposure to compensate for situations where the subject is life from behind. The factory default setting is OFF. 2 AGC (Automatic Gain Control). Set to ON (default) to have the camera adjust the picture for low light conditions. DC/AES Mode. Leave in ON position only. 3 LL (Line Lock). Set the camera synchronization 4 to internal or line lock (line lock is only available with 24 VAC). The factory default setting is OFF.

Attaching the Dome Cover

- To attach the dome cover, follow *Figure 2*:
- Use a soft, lint-free cloth to wipe the dome 1. cover clean and remove fingerprints.
- Attach the inner liner (#3) to the Tilt 2. adjustment thumbnuts (#2). Push down until it clicks into place.
- 3. Place the dome (#4) on the unit. Make sure all three dome tabs (#5) are inside the housing opening.
- Turn the dome gently clockwise until it 4. locks in place.



4.33" (110 mm) 0.2" (5 mm)



Routine Maintenance

- The dome cover is an optical part. Use a . soft, dry cloth to remove any fingerprints or dust.
- Clean the camera housing with a soft, dry cloth. For more stubborn stains, use a cloth dampened with a small quantity of neutral detergent, then wipe dry.
- **Caution** Do not use volatile solvents such as alcohol, benzene or thinners to avoid damaging the surface finish.

Cable Guidelines

Maximum Power Supply Cable Length (feet/meters) Cameras With AC/DC Power Supplies								
		Wire gaug	Wire gauge					
Total load	Power supply	24 AWG	22 AWG	18 AWG	16 AWG			
High Res	12 VDC 15 VDC 24 VAC	89/27 348/106 991/302	148/45 561/171 1601/488	374/114 1427/435 4061/1238	597/182 2273/693 6462/1970			
Std Res	12 VDC 15 VDC 24 VAC	236/72 420/128 1155/352	384/117 679/207 1866/569	977/298 1729/527 4736/1444	1555/474 2752/839 7541/2299			

Caution Calculations are based on an unregulated linear power supply, which would be the worst case. Using a regulated or switching power supply can increase the cable distance. Honeywell recommends using a **CSA Certified/UL listed Class 2** power adapter to ensure compliance with electrical safety standards.

Maximum video Coaxiai		ngtn (reet	(meters)
Cable type	RG-59	RG-6	RG-11
Wire gauge	23 AWG*	18 AWG*	14 AWG*
Maximum length (feet/meters)	750/229	1500/457	2000/610
* Copper clad steel core, 95%	braided shi	eld	

Warranty and Service

Subject to the terms and conditions listed on the Product warranty, during the warranty period Honeywell will repair or replace, at its sole option, free of charge, any defective product returned prepaid.

In the event you have a problem with any Honeywell product, please call Customer Service for assistance or to request a Return Merchandise Authorization (RMA) number. Call 1.800.796.CCTV (North America only). Be sure to have the model number, serial number, and the nature of the problem available for the technical service representative. Prior authorization must be obtained for all returns, exchanges, or credits. Items shipped to Honeywell without a clearly identified **Return Merchandise Authorization (RMA)** number may be refused.

Europe and United Kingdom

For warranty information please contact your Honeywell dealer.

Specifications

Video Standard:	NTSC, PAL	NTSC, PAL		
	High Res	Standard Res		
Scanning System:	525 lines, 2:1 interlace (NTSC)			
Imaga Sansar:	625 lines, 2:1 interlace (PAL) 1/3" Interline Transfer CCD			
Image Sensor:				
Number of Pixels (H x V):	768 x 494 (NTSC) 752 x 582 (PAL)	510 x 492 (NTSC) 500 x 582 (PAL)		
Minimum Illumination:	0.6 lux @ F1.3 0.2 lux @ F1.3			
	(AGC on, 50 IRE)			
Horizontal Resolution:	540 TVL	350 TVL		
Video Output:	1.0 Vp-p (@ 75 Ohms		
S/N Ratio:	50 dB (AGC Off)			
Sync System:	12 VDC: Internal, 24 VAC: Line lock			
Auto Gain Control:	On/off, switchable			
BLC:	On/Off, switchable			
AI/AES Selection:	On/off, s	switchable		
Automatic Electronic Shutter:	1/60 - 1/100,000 sec (NTSC) 1/50 - 1/100,000 sec (PAL)			
Lens Type:	2.8 mm to 10 mm Vari-focal Auto Iris, F1.3			
Lens Iris Control:	Direct Drive (DC) AI			
Angle of View (Lens): Wide Tele	129.0° (D), 100.2° (H), 73.3° (V) 34.3° (D), 27.4 (H), 20.5° (V)			
Focal Length:		m to 10 mm		
White Balance:	ATW			
Gamma:	0.45			
Electrical Specifica	tions			
Input Voltage:		C/24 VAC		
Input Voltage Range:	11 to 16 VDC			
input voltage nange.	17 to 28 VAC			
Power Consumption:	3.5 V	/ (max)		
Mechanical				
Dimensions (W x H):	4.33" x 3.91" (1	10 mm x 96.3 mm)		
Weight:				
Net		(.3 Kg)		
Shipping		o (.6 Kg)		
Construction:	Housing and dome			
Environmental				
Temperature: Operating Storage	14°F to 122°F (-10°C to 50°C) -4°F to 140°F (-20°C to 60°C)			
Relative Humidity:	0% to 90%, non-condensing			
Regulatory				
Emissions:	ECC. CE	(EN55022)		
Immunity:	CE (EN55022)			
	UL2044 ^a , EU: 73/23/EEC LVD			
Safety:	^a Applies only to HD3VC4SHR and			

Applies only to HD3VC4SHR and HD3VC4SA models.

Contact Information

Honeywell Video Systems (Head Office) 2700 Blankenbaker Pkwy, Suite 150 Louisville, KY 40299, USA www.honeywellvideo
* +1.800.796.2288

Honeywell Security Australia Pty Ltd. Unit 5. Riverside Centre, 24-28 River Road West Parramatta, NSW 2150, Australia +61.2.8837.9300

Honeywell Security Asia Pacific 33/F Tower A, City Center, 100 Zun Yi Road Shanghai 200051, China www.security.honeywee +86 21.2527.4568 ell.com/cr

Honeywell Security Asia Flat A, 16/F, CDW Building, 388 Castle Peak Road Tsuen Wan, N.T., Hong Kong n/hk +852.2405.2323

Honeywell Security France Parc Gutenberg, 8, Voie La Cardon 91120, Palaiseau, France www.honeywell.com/se * +33.01.64.53.80.40 irity/fi

Honeywell Security Italia SpA Via Treviso 2 / 4 31020 San Vendemiano

Treviso, Italy www.honeywell.com/security/it ☞ +39.04.38.36.51

Honeywell Security Spain Mijancas 1. 3^a Planta P.Ind. Las Mercedes

28022 Madrid, Spain www.security.honeyv 2 +34.902.667.800 ell.com/es

Honeywell Security Nederland Netwerk 121 1446 WV Purmerend, Netherlands

www.SecurityHouse.n

Honeywell Video Systems UK Ltd. Aston Fields Road, Whitehouse Ind Est Runcorn, Cheshire, WA7 3DL, UK www.honevwe +0844.8000.235

Honeywell Security South Africa Unit 6 Galaxy Park, 17 Galaxy Avenue Linbro Park, P.O. Box 59904 2100 Kengray, Johannesburg, South Africa www.honeywell.co.za

Honeywell Security Germany Johannes-Mauthe-Straße 14 D-72458 Albstadt, Germany www.honeywell.com/security/de 2 +49.74 31.8 01.0

Honeywell Security Poland Chmielewskiego 22a, 70-028 Szczecin, Polska www.ultrak.pl
+48.91.485.40.60

Honeywell Security Czech Republic Havránkova 33. Brno Dolní Heršpice, 619 00, Czech Republic

Honeywell Security Slovakia Republic Vajnorskà 142, 83104 Bratislava Slovakia

Honeywell

Product Dimensions

Figure 6 Camera Dimensions

(96.3

3.91



www.honeywellvideo.com +1.800.796.CCTV (North America only) HVSsupport@honeywell.com

900.0824 - 09/06 - Rev 1.01

© 2006 Honeywell International Inc. All rights reserved. No part of this publication may be reproduced by any means without written permission from Honeywell Video Systems. The information in this publication is believed to be accurate in all respects. However, honeywell Video Systems cannot assume responsibility for any consequences resulting from the use thereof. The information contained herein is subject to change without notice. Revisions or new editions to this publication may be issued to incorporate such changes.